

Sewage Submersible Pump - SGP



UTEE - SGP Series **Oil Cooled** Pump, Single & Three Phase

Sr. No.	MODEL	H.P.	Delivery Size in inch	Phase	Current	Price ₹	Solid Passage (mm)	Head Range (m) Min - Max & Max Flow in LPM							Cable Line (m)	Packing Particulars		Max Flow (m³/h)	Head Range (m) Min.-Max.
								6	10	14	19	24	28	37		Box Size (mm) (LxWxH)	Gross Wt. (kg)		
1	SGP-0115FO	1.0	2.0	Single	5.2	15,970	20	350	290	200	-	-	-	-	4x0.75-10	470x250x235	21	22	5-18
2	SGP-0215FO	2.0	2.0	Single	9.5	25,110	40	450	320	90	-	-	-	-	3x1.5-5	285x205x530	35	30	0-14
3	SGP-0225	2.0	2.0	Three	3.6	22,230	25	620	525	350	40	-	-	-	4x0.75-10	550x245x295	35	34	0-19
4	SGP-0320	3.0	2.0	Three	5.1	32,500	20	530	460	390	290	120	-	-	4x1.0-15	630x285x345	49	34	0-24
5	SGP-0525	5.0	4.0	Three	8.8	52,790	43	1450	1220	830	280	-	-	-	3x1.55+1x1-8	745x345x415	73	95	0-19
6	SGP-7535	7.5	3.0	Three	11.7	68,620	25	840	820	810	800	780	730	400	3x1.55+1x1-15	750x340x380	97	42	0-37
7	SGP-10028	10.0	4.0	Three	15.7	93,190	30	2280	2200	1930	1650	1180	620	-	3x2.5+1x1.5x8	845x355x415	109	140	0-28

Note : Sr. No :2 is SS Body & Others are CI Body., Single Phase Model's are available with Float Switch and Three Phase Model's are Without Float Switch.

Sewage Submersible Pump - SGP (Cutter Pump)



UTEE - SGP Series **Oil Cooled** Pump, Single & Three Phase

Sr. No.	MODEL	H.P.	Delivery Size in inch	Phase	Current	Price ₹	Solid Passage (mm)	Head Range (m) Min - Max & Max Flow in LPM							Cable Line (m)	Packing Particulars		Max Flow (m³/h)	Head Range (m) Min.-Max.
								6	10	14	19	24	28	37		Box Size (mm) (LxWxH)	Gross Wt. (kg)		
1	SGP-0115CF	1.0	2.0	Single	5.2	22,310	20	210	180	110	-	-	-	-	3x0.75x8	600x230x220	26.00	13.8	4-14
2	SGP-0220ECF	2.0	2.0	Single	9.5	24,540	40	220	200	150	-	-	-	-	3x0.75x8	600x230x220	27.00	13.8	5-18
3	SGP-0320C	3.0	2.5	Three	5.1	36,640	25	625	510	350	100	-	-	-	4x0.75x8	600x260x340	40.00	20	5-20
4	SGP-0520EC	5.0	2.5	Three	6.7	44,270	20	1000	850	670	350	100	-	-	4x1x8	685x240x330	52.00	20	5-20

Submersible Drainage Pump (Center Delivery)



Sr. No.	MODEL	H.P.	Outlet (mm)	Phase	Price ₹	Maximum Flow (m³/h)	Maximum Head (meter)	Packing Particulars	
								Packing Dimension	Nett Wt. (kg)
1	DGP-800	2.0	50	Single	27,680	18	15	390x210x215	13.80
2	DGP-315-S	3.0	80	Single	59,110	40	14.5	610x265x275	42.00
3	DGP-315	3.0	80	Three	46,410	40	14.5	610x265x275	36.00
4	DGP-437	5.0	100	Three	84,100	90	18.5	710x320x295	62.00
5	DGP-455	7.5	100	Three	1,06,930	105	23	750x350x335	77.00
6	DGP-475	10.0	100	Three	1,40,040	84	40	835x365x385	106.00
7	DGP-675	15.0	150	Three	1,41,720	125	31	865x365x385	108.00
8	DGP-611	20.0	150	Three	1,94,820	147	32	855x415x435	137.00
9	DGP-615	25.0	150	Three	2,30,370	156	40	905x415x435	149.00



Center Delivery Pump



Single Phase



Three Phase



Single Phase



Three Phase

Cutter Pumps



Single Phase



Semi Open Impeller



Close Impeller



Open Impeller



Cutter Impeller

Don't fill the Water in above Motor

Automatic Pump Control Switch Single Phase



Special Application Single Shower Booster Pump

Model	Max Power Kw	Pipe Size In mm	Price ₹	Cut-In Pressure	Max Rated Current	Max Pressure
CS-10	0.11	25 x 25	2,400	1.2/1.5/2.2 Bar	10A	10 Bar
CS-13	0.11	25 x 25	2,440	1.2/1.5/2.2 Bar	10A	10 Bar

Power	Pro Line	Bar
1.1Kw	Pump Control	10



Self Priming MUD Sewage Monoblock Pump- FMP-M Series (CI) Three Phase




Sr. No.	Model	KW	HP	Price ₹	Suc. & Del. Size	RPM	Discharge in LPM	Head in Meter												
								6	8	10	12	14	16	18	20	22	24	28	32	Solid Passage
1	FMP-M-40SM CIP	0.8	1.0	33,790	40X40 MM	2800		270	240	198	138	90	-	-	-	-	-	-	-	7
2	FMP-M-40BM CIP	1.5	2.0	42,960	40X40 MM	2800		-	-	348	306	258	186	90	-	-	-	-	-	8.5
3	FMP-M-50BM CIP	2.2	3.0	47,180	50X50 MM	2800		-	-	528	492	450	396	330	258	180	66	-	-	10.5
4	FMP-M-80LM CIP	3.7	5.0	78,480	80X80 MM	1450		-	-	1044	924	750	486	210	-	-	-	-	-	15.5
5	FMP-M-80SM CIP	3.7	5.0	74,000	80X80 MM	2800		-	-	-	-	-	-	-	600	558	492	312	120	7.0
6	FMP-M-80BM CIP		7.5	85,150	80X80 MM	1450		-	-	1080	990	810	580	420	150	-	-	-	-	-

Self Priming MUD Sewage Monoblock Pump- FMP-M Series (CI) Single Phase



Sr. No.	Model	KW	HP	Price ₹	Suc. & Del. Size	RPM	Discharge in LPM	Head in Meter							Solid Passage
								6	8	10	12	14	16	18	
1	FMP-M-40SM CISP	0.8	1.0	37,050	40X40 MM	2800		270	240	198	138	90	-	-	7.0
2	FMP-M-40BM CISP	1.5	2.0	46,740	40X40 MM	2800		-	-	348	306	258	186	90	8.5



FMP-M Series